INDEX TO ECOLOGICAL MONOGRAPHS, VOLUME 61, 1991

A

Acer rubrum, 183
age-structured populations, 225
aggregation, 75, 367
Alaska, 415
algae, 95
allocation, 1
analytical sampling, 53
arctic, 415
arctic vegetation and soils, 437
arctic wetlands, 437
Armbruster, W. S., 323
Artemisia, 165
Artemisia tridentata, 299
arthropod-rich food webs, 267
arthropods, 299
avian predation, 299

B

Babcock, R. C., 225
barnacles, 95
basiphilous tundra plants, 437
Beiswenger, J. M., 165
Beringia, 437
biogeochemistry, 415
biomass, 33
Bowden, R. D., 207

C

Calanoida, 245
calciphilous tundra plants, 437
calcium, 1
California Condor, 115
Calliphoridae, 75
canopy structure, 33
carrion flies 75
Cates, R. G., 299
central New York, 183
Chapin, F. S., III, 1
climate change, 437
Cobb, N., 299
Cohen, J. E., 267
communities, 343
community food web, 367
community structure and assembly, 267
comparative demography, 393
competition, 75, 183, 245
connectance, 367
conservation biology, 115
coral demography, 225
Cornus racemosa, 183
Cropper, W. P., Jr., 33
cumulative vs. time-specific food webs, 267
Curran, P. J., 33
Cyclopoida, 245

D

Daphnia, 245
deciduous forest, 323
Dennis, B., 115
detrended correspondence analysis, 323
detritus-based systems, 267
Diaptomus, 245
diffusion process, 115
distribution, 323
disturbance and recovery, 437

E

eastern hemlock, 145
Eberhardt, L., 53
ecological convergence, 343
ecosystem development, 207
ecosystem food web, 367
element cycling, 1
endangered species, 115
equilibrium landscapes, 145
Everett, K. R., 437
Ewel, K. C., 33
experimental design, 53
exponential growth, 115
extinction, 115

F

facilitation, 95
Farrell, T. M., 95
fecundity schedules, 225
fen, 437
field experiments, 53, 183, 299
fire, 145
Florida, 33
food chains, 367
food web dynamics, 267
food web structure, 267
food webs, 367
Frelich, L. E., 145
freshwater fish communities, 343

G

Gambusia, 245
generation times, 225
Gholz, H. L., 33
Giblin, A. E., 415
Gill, D. S., 183
Grays Lake, Idaho, 165
grizzly bear, 115

H

herbivory, 95
Holocene, 165
Hurlbert, S. H., 245

I

indirect interactions, 95
inferences, 53
injury frequencies, 393
insect ecology, 75
intercontinental comparisons, 343
interspecific competition, 95
inverse Gaussian distribution, 115
Ives, A. R., 75

K

Kirtland's Warbler, 115

L

landscape ecology, 145, 437
latitude, 393
Laundre, J. A., 415
Laysan Finch, 115
leaf area index (LAI), 33
life histories, 225
life tables, 225
light interception, 33
limpets, 95
linkage criteria, 367
Linum lewisii, 323
litterfall, 33
Little Rock Lake, 367
loess, 437
lognormal distribution, 115
Lorimer, C. G., 145

M

magnesium, 1
Marks, P. L., 183
Martinez, N. D., 367
McKelvey, K., 33
McKerrow, A. J., 415
Mesocyclops, 245
microcosm experiments, 245
Microcyclops, 245
Moehringia lateriflora, 323
morphological diversification, 343
mortality, 393
mortality rates, 393
Munholland, P. L., 115

N

^{15}N, 207
N/P ratios, 415
Nadelhoffer K. J. 415
natural disturbance, 145
needle elongation, 33
niche, 323
niche diversification, 343
nitrogen, 1, 415
nitrogen accumulation, 207
nitrogen budget, 207
nutrient availability, 415
nutrient cycling, 415

O

observational studies, 53
old-field succession, 183
opportunistic species, 267
orders, 343
Oregon, 95, 299

P

paleoecology, 165
Palila, 115
palynology, 165
parameter estimation, 115
path analysis, 323
pattern, 53
peatlands, 437
periglacial features, 437
permafrost, 437
phosphorus, 1, 415
photosynthetically active radiation (PAR), 33
phylogeny, 343
physiological stress, 393

phytoplankton, 245
Pinus elliottii, 33
Pinus strobus, 183
plant biomass, 1
Pleistocene, 165
pollen, 165
Polytrichum, 207
populations, 53
potassium, 1
Potentilla hookeriana, 323
predation, 245, 393
predation gradients, 393
predator–prey relationships, 267
presettlement forests, 145
primary production, 1
primary succession, 207
pseudoreplication, 53
Puerto Rican Parrot, 115
Pyrola secunda, 323

Q

quantitative food-web patterns, 367
Quaternary, 165

R

Redak, R. A., 299
relative accumulation rate, 1
relative growth rate, 1
remote sensing, 33
resolution, 367
resource partitioning, 343
Rhamnus cathartica, 183
road dust, 437
rocky intertidal, 95
Rotenberry, J. T., 299

S

saline soils, 437
sampling design, 53
sampling for modelling, 53
Sarcophagidae, 75
Schoenly, K., 267
Scott, J. M., 115
seasonal change, 33
seasonal variation in food webs, 267
secondary chemistry, 299
sediment, 165
seed predation, 183
seedling predation, 183
Shaver, G. R., 1, 415
shrubsteppe, 299
size-structured populations, 225
slash pine, 33
soil organic matter, 207
soils, 415
Soto, D., 245
species packing, 343
species richness, 343
steady-state forests, 145
steppe, 323
stochastic differential equation, 115
stress, 393
succession, 95
successional mechanisms, 183
successional variation in food webs, 267
sugar maple, 145
survivorship, 225

T

tail injuries, 393
temporal variability, 267
Teskey, R. O., 33
Thomas, J. M., 53
top predators, 267
toposequences, 415, 437
trophic levels, 367
tundra, 1, 415
Type I and II errors, 53

U

Upper Michigan, 145
Uta stansburiana, 393

V

Van Horne, B., 299
Vogel, S. A., 33

W

Walker, D. A., 437
Wesser, S. D., 323
Wiens, J. A., 299
Wilson, B. S., 393
windthrow, 145
Winemiller, K. O., 343
Wisconsin, 367

EXTENT AND NATURE OF CIRCULATION. *Average number of copies of each issue published during the preceding twelve months:* (A) total number of copies printed, 4200; (B.1) sales through dealers and carriers, street vendors and counter sales, 0; (B.2) paid mail subscriptions, 3482; (C) total paid circulation, 3482; (D) samples, complimentary, and other free copies, 21; (E) total distribution, 3503; (F.1) office use, left over, unaccounted, spoiled after printing, 697; (F.2) returns from news agents, 0; (G) total, 4200. *Actual number of copies of single issue published nearest to filing date:* (A) total number of copies printed, 4200; (B.1) sales through dealers and carriers, street vendors and counter sales, 0; (B.2) paid mail subscriptions, 3691; (C) total paid circulation, 3692; (D) samples, complimentary, and other free copies, 21; (E) total distribution, 3712; (F.1) office use, left over, spoiled after printing, 488; (F.2) returns from news agents, 0; (G) total, 4200.

COPYRIGHT © 1991 BY THE ECOLOGICAL SOCIETY OF AMERICA